

# Zehnder Aura

Electric operation

Product data sheet

always the best climate



Large spaces between the tubes and straight lines. Every detail of Zehnder Aura is perfectly designed with modern bathrooms in mind. The decorative radiator for hot water central heating is available in white and with a high-quality chrome finish.


**Advantages**

- D-profile header tube creates harmonious design
- Ample spaces between tubes make cleaning easy
- Generous spaces between the tubes convenient for hanging towels
- Elegant design in high-quality chrome
- Small radiator depth ideal for narrow bathrooms

**Special benefits for electric operation**

- Energy-efficient and comfortable heating with innovative “open window detection”
- Electric operation provides warm towels and comfortable rooms all year round
- High energy efficiency due to compliance with the European Ecodesign Directive reduces energy costs
- Low energy consumption of only 0.5 W or less in stand-by mode for increased energy efficiency
- User-friendly control device allows simple operation
- Customisable daily and weekly programmes for convenient, on-demand operation
- Increased safety with keylock

**Model overview**



**Chrome-plated version**

Electric version with LCD control

Model	H	L	Power electric heating element
	mm	mm	Watts
PBECZ-080-40/MQ	786	400	150
PBECZ-090-50/MQ	906	500	200
PBECZ-180-50/MQ	1866	500	500
PBECZ-120-60/MQ	1226	600	400
PBECZ-150-60/MQ	1466	600	400
PBECZ-180-60/MQ	1866	600	600

H = height, L = length  
 75/65/20 = Nominal heat output according to EN 442

V2022-09-21, V20220218, RAD\_DAS, SL\_en, subject to change without prior notice

## Painted version

Model	H	L	Power electric heating element
	mm	mm	Watts
PBEZ-080-40/MQ	786	400	300
PBEZ-090-50/MQ	906	500	500
PBEZ-120-50/MQ	1226	500	750
PBEZ-180-50/MQ	1866	500	1000
PBEZ-120-60/MQ	1226	600	750
PBEZ-150-60/MQ	1466	600	1000
PBEZ-180-60/MQ	1866	600	1000

H = height, L = length

75/65/20 = Nominal heat output according to EN

442